



Cylinder bundles

STANDARD REFERENCES	- ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road - European Directive 2010/35/EU (TPED - Trasportable Pressure Equipment Directive)
RECEPTACLES	Cylinders 40/50/60 liters
WORKING PRESSURE	From 200 to 450 bar
DIMENSION	6/8/9/12/16/20 cylinders/bundles
OTHER CHARACTERISTICS	With manifold or pigtail (material copper or stainless steel). Equipped with one or more pressure gauge, one or more valves and other special devices depending on the customer request




On request it is possible to design and develop customized products.



PED

STANDARD REFERENCES	PED Directive 2014/68/EU (PED - Pressure Equipment Directive)
RECEPTACLES	Cylinders 40/50/60/80 liters
WORKING PRESSURE	From 200 to 450 bar
DIMENSION	From 4 to 68 cylinders/bundles
OTHER CHARACTERISTICS	With manifold or pigtail (material copper or stainless steel). Equipped with one or more pressure gauge, one or more valves and other special devices depending on the customer request



On request it is possible
to design and develop
customized products.



MEGC - Multi Element Gas Container

STANDARD REFERENCES	<ul style="list-style-type: none">- ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road- European Directive 2010/35/EU (TPED – Transportable Pressure Equipment Directive)- EN 13807:2003 “Transportable gas cylinders. Battery vehicles. Design, manufacture, identification and testing”
RECEPTACLES	Cylinders bundles or tubes
WORKING PRESSURE	From 200 to 450 bar
DIMENSION	Depending the type of receptacles
OTHER CHARACTERISTICS	Designed with hydraulic/mechanical legs, or with hooks for lifting. Special equipment could be provided upon request.





Battery Vehicles

STANDARD REFERENCES	<ul style="list-style-type: none">- ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road- European Directive 2010/35/EU (TPED – Transportable Pressure Equipment Directive)- EN 13807:2003 “Transportable gas cylinders. Battery vehicles. Design, manufacture, identification and testing”
RECEPTACLES	Cylinders bundles or tubes
WORKING PRESSURE	From 200 to 450 bar
DIMENSION	Depending the type of receptacles
OTHER CHARACTERISTICS	Special equipment could be provided upon request.



On request it is possible to design and develop customized products.





EAC

STANDARD REFERENCES	EAC
RECEPTACLES	Cylinders 40/50/60/80 liters
WORKING PRESSURE	From 200 to 450 bar
DIMENSION	From 4 to 68 cylinders/bundles
OTHER CHARACTERISTICS	With manifold or pigtail (material copper or stainless steel). Equipped with one or more pressure gauge, one or more valves and other special devices depending on the customer request



On request it is possible
to design and develop
customized products.



Baskets

STANDARD REFERENCES	Voluntary Certification ADR “Large Packaging”
RECEPTACLES	Cylinders 27/40/50/60 liters
DIMENSION	6/8/9/12/16/20 cylinders/bundles
OTHER CHARACTERISTICS	With Rail, Safety bar, Belts and Ratchets.



On request it is possible to design and develop customized products.